

TLC by CLT

CITY OF CHARLOTTE

HOUSING & NEIGHBORHOOD SERVICES

Addendum 1 Invitation to Bid HNS 18-63

Documents included in Package:

- 1) Instruction to Bidders
- 2) Specs by Location/Trade (Scope of Work)
- 3) Subcontractor Certifications (if applicable)
- 4) Floor Plan / Site Drawing (if applicable)

Bid Walk & Bid Opening:

Project Address: 1829 St. Paul		Targeted Rehabilitation - Lincoln Heights Neighborhood		
Bid Walk: 6/7/18 at 2:00 pm (THURSDAY)				
Bid Opening:	: 6/14/18 at 2:00 pm (THURSDAY)			
Client Name: Herbert Blair Rehab only				
Project Manager: Elizabeth Lamy Contact Number: 704-620-9090				

Bid Walk and Bidding Instructions:

All bid walks are mandatory.

If you are going to be late the policy is the following:

Contact me BEFORE the start time if you are going to be late. If you are going to be more than 10 minutes late, we will proceed without you and you will not be permitted to bid. The day of a bid walk the best way to reach me is at <u>Elizabeth Lamy</u> (cell # 704-620-9090).

Bids must be received by the date, time and place specified. All others will be considered non responsive and disqualified.

***This is a rental property, using a budget of \$25,000.

The Bids will be opened at 600 East Trade St. immediately following the above due date and time.



TLC by CLT

CITY OF CHARLOTTE

HOUSING & NEIGHBORHOOD SERVICES

Company Acknowledgement:

The undersigned, having become thoroughly familiar with the terms, conditions, limitations, and provisions of the housing improvement work to be performed at 1829 St. Paul St be funded through the City of Charlotte Housing & Neighborhood Services, in addition, having fully inspected the site in all particulars, hereby proposes and agrees to fully perform the work within the time stated and in strict accordance with the proposed contract documents including furnishing of any and all labor and materials, and to do all work required to complete said Work in accordance with the advised respective contractual, for the sum of money:

time stated and in strict accordance with the proposed contract documents including furnishing of any and all labor and materials, and to do all work required to complete said Work in accordance with the						
advised respective contractual, fo		ompiete s	aid Work in accord	dance with the		
All labor, materials, services and	•	v for the o	completion of th	e Work shown		
on the Drawings and in the Spec		, ,				
			Dollars (\$)		
Written total		Select 100 mile 100 m	A Living of Contract			
Specs Dated:	Number of Pages:					
Addenda # 1 Dated:	Number of Pages:	9	SUS	Market Color		
Addenda # 2 Dated:	Number of Pages:					
Project Schedule: Minimum Start L	Date - upon issuance of N	ITP				
Completion Deadline: (please prov	vide projected completion	on date wi	ith bid submission	1)		
Please Print and Sign:		ı				
Company Name/Firm:						
Authorized Representative Name:				And a second sec		
Signature:		Date:		A 700 A 700 A		



TLC by CLT

CITY OF CHARLOTTE

HOUSING & NEIGHBORHOOD SERVICES

Requirements For Bidders

The City awards rehabilitation bids to the lowest responsive and responsible bidder. A responsible bidder for the safe home program is one who:

- 1) Is a licensed general contractor in the State of North Carolina;
- 2) Has an Renovate, Repair & Paint Certification (http://www2.epa.gov/lead/renovation-repair-and-painting-program);
- 3) Is not listed on a local, state or federal debarment list;
- 4) Carries an appropriate amounts of insurance;
- 5) Can provide references verifying the contractor has completed work of a similar scope in a good workmanship like manner or successfully completed prior work for the Safe Home program. Referenced work must have been completed in one year or less from date of this invitation to bid.

A responsive bidder must:

- 1) Submit all requested documentation on time;
- 2) Meet the above requirements for responsibility at the time of bid submittal;
- Have the capacity to meet the required schedule for the project.
- 4) Existing rehab projects contracted by the contractor must be on schedule.

The City reserves the right to waive any minor informalities or irregularities, which do not go to the heart of the bid submittal or prejudice other offers, or to reject, for good and compelling reasons, any or all bid submittals.

Elizabeth Lamy Santos Rehabilitation Specialist City of Charlotte Housing and Neighborhood Services 600 E. Trade St. Charlotte, NC 29202

PH: (704) 336-3333 Cell: (704) 620-9090

HOUSING & NEIGHBORHOOD SERVICES

http://housing.charlottenc.gov | 600 E. Trade Street | Charlotte, NC

Prepared By: City of Charlotte Housing & Neighborhood Services 600 E. Trade Street Charlotte, NC 28202 (704) 336-7600

P	ror	or	fv,	n	۵ta	i	le
г	UL		LV	u	m La	ш	

Address:
, , , , , , , , , , , , , , , , , , , ,

1829 St. Paul St

Charlotte, NC 28216

Structure Type:

Single Unit

Square Feet:

980

Year Built:

1960

Property Value:

58400

Tax Parcel:

07505942

Census Tract:

Property Zone:

Owner:

Herbert Blair 25k

Owner Phone:

Cell: (704) 591-1542 xOwner

Program(s):

Tested- NO LEAD

Targeted FY18 (CDBG Funds)

Vanity/ Counter Top/ Sink

BATHROOM - MAIN

Install new vanity cabinet complete with counter top of laminate with vitreous china sink or marble-lite top with preformed sink. Include single handled metal faucet with drain and pop-up, P- trap, supply lines, full port ball type shut-off valves & escutcheon plates. Vanity medicine cabinet/mirror to remain.



Bid Cost:		_x	=
	Base	Quantity	Total Cost

Grab Bars

BATHROOM - MAIN

Quantity

Install 1 1/2" diameter S/S Grab Bars on 3 walls at height of 36" (include wood blocking in wall. Each bar must hold 300 pounds). Owners choice of locations.

	Bid Cost:	x	=	
	E	Base	Quantity	Total Cost
GFCI Receptacle 20 AMP			BATHROOM	I - MAIN
Install a flush mounted, ground fault circuit interrupted,	duplex receptacle and cove	er plate. Fish	wire and repair a	all tear out as needed.
	Bid Cost:	х	=	

Base

Total Cost

Fiberglass Bathtub

BATHROOM - MAIN

Install a 5' white Swan or equivalent fiberglass bathtub. Caulk all seams and penetrations. Include new single handled tub/shower diverter valve and drain.

1			- 1
$\Delta / \Delta r$		1	2
Λ	-		
	H)		
1	la .		
1	9-20		
1 **	1		
	•		
1 3			

Bid Cost:		=	
	Base	Quantity	Total Cost

Ceramic Wall Tile

BATHROOM - MAIN

Install owner's choice ceramic wall tile over cement fiberboard with troweled adhesive. Include preformed base, cap, stop, return and trimmer pieces to complete installation. After at least 24 hours drying time, apply latex based portland cement grout. Clean all excess grout and apply mildew resistant white silicone caulk at all seams, fixture lips and pipe penetrations.

***Provide a price for a tile surround using a larger tile with less grout lines than a typical 4"x4" or subway tile for ease of cleaning.

Bid Cost:	X	=	=
	Base	Quantity	Total Cost

Resilient Flooring

BATHROOM - MAIN

Install 25 year warrantied resilient floor covering per manufacturer's specifications. Include transitions and painted or stained wood quarter-round at all perimeters to complete installation.



Bid Cost: X = Total Cost

Prep & Paint Room Semi Gloss

BATHROOM - MAIN

Remove or cover hardware and accessories not to be painted. Scrape loose, peeling, cracked and blistered areas. Clean oil, grease, fungus, dirt, and dust from surfaces. Fill holes and cracks. Prime all new materials and spot prime existing with acrylic latex. Top coat with owner's choice of low VOC acrylic SEMI-GLOSS latex. Painting shall include walls and any associated trim. Replace or uncover hardware, fixtures and accessories. Any moving of furniture required shall be included.



Bid Cost: _____ X ___ = ____ Base Quantity Total Cost

Drain Line Repair

CRAWL SPACE

Repair leaking drain/waste line under the kitchen/laundry room area.

Bid Cost:		_X=_	
	Base	Quantity	Total Cost

Tear Off & Reroof Shingles

EXTERIOR

Exterior

Remove and dispose of existing roofing, inspect and repair roof deck (include 96 sq.ft. of decking replacement in bid) and install new 30 year architectural shingles. Include ice and water shield at all roof edges, felt paper, shingle over ridge vent, boots, flashing and all necessary accessories.

	CTT 9.21
	4 - 33
ASSESS. Law Company of the Company o	'M 🚓
Prince and the second section of the section of the second section of the s	
A 700 A	116
II at a Silveria	
h 200	
TO THE PERSON NAMED IN	
io .	
	//
	45
jiji	
	(F) (E) (E)
2	70.70
	refer
print the second	STATE OF THE PERSON AND PARTY AND
- State Control of the Control of th	
Electronic de la Paris de la Contraction de la C	1. A

Bid Cost: _	X_		
	Base	Quantity	Total Cost

Wooden Porch Frame Columns - Rear Stoop

EXTERIOR

Exterior

Remove and replace with column made of lumber, painted white.



Bid Cost:		X=	-		
	Base	Quantity	Total Cost		

Vinyl Window

EXTERIOR

Exterior

Dispose of window units and any security bars. Field measure, order and install new Energy Star rated vinyl, double glazed LOW- E windows including half screens. Insulate rough opening. Install new extension jambs, casing and sill as needed, prime and paint. Exterior trim to be wrapped in PVC coated aluminum coil as needed. Repair all areas disturbed by removal and installation. This installation is to include repairing any damaged header, framing (to include king studs, jack studs etc.) sub-floor, floor joists, band joists and sill.

***Window count is for (13) windows. This INCLUDES the large windows in the front of the house.



Bid Cost:		_X=_	
	Base	Quantity	Total Cost

1 604

Work Specification

Electric Service 200 AMP

GENERAL REQUIREMENTS

Replace electrical service with new 200 amp, main disconnect, 110/220 volt, 24 circuit panel board, meter socket, weather head, service cable, ground rods and cable. Include replacement of all sub-panels. Caulk exterior service penetration.

***Price should include boxing in exposed circuit wires feeding the box that is located in the laundry room (wires are located along the outside of brick instead of inside wall cavity).

	Bid Cost: _		_x	=	
		Base		Quantity	Total Cost
Portable Toilet				GENERAL F	REQUIREMENTS
Provide temporary toilet facilities from job start until approval	of permanent fa	cilities.			
	Bid Cost:		X	=	
		Base		Quantity	Total Cost
Permits Required				GENERAL F	REQUIREMENTS
The contractor is responsible obtaining and paying for all peri	mits required. Sa	aid permits s	hall incl	ude all items i	n this scope of work.
	Bid Cost:		x		
		Base		Quantity	
Dumpster				GENERAL F	REQUIREMENTS
After procuring all required permits, place AS MANY roll-off d debris using dust control methods. Remove dumpster and repaway daily using dump trailers.					
	Bid Cost:		_x	=======================================	
		Base		Quantity	Total Cost
Combination CO / Smoke Detector Hard Wired				GENERAL F	REQUIREMENTS
Install a hard wired combination carbon monoxide and smoke	detector with ba	attery back u	ıp.		
	Bid Cost:		x	=	
		Base		Quantity	Total Cost
Smoke Detector Hard Wired				GENERAL R	REQUIREMENTS
Install UL approved, interconnected, ceiling mounted smoke a battery backups in bedrooms and outside of sleeping areas. ***Count is for (2) detectors.	and heat detecto	rs permaner	ntly wire		• -
	Bid Cost:		x	=	
	_	Base		Quantity	Total Cost

Cal	unter	Tops	Ren	lace

KITCHEN

Screw to base cabinet a square edged plastic laminate counter top. Provide end-caps and cutout for sink. Caulk counter top to adjoining walls with low VOC caulking to match wall color. Owner's choice of in-stock color and texture.



Bid Cost: X =

Base Quantity Total Cost

Double Bowl Sink Complete

KITCHEN

Install a 18 gauge 33" x 22" x 9" double bowl, stainless steel, self rimming kitchen sink including a single handle metal body faucet, rated at 2.0 GPM or less, with a 15 year drip- free warranty, P-trap, supply lines, full port ball type shut-off valves & escutcheon plates on all supply & drain lines. No copper compression fittings.



Bid Cost: X = Total Cost

Resilient Flooring

KITCHEN

Install 25 year warrantied resilient floor covering per manufacturer's specifications. Include transitions and painted or stained wood quarter-round at all perimeters to complete installation.



Prep & Paint Room Semi Gloss

KITCHEN

Remove or cover hardware and accessories not to be painted. Scrape loose, peeling, cracked and blistered areas. Clean oil, grease, fungus, dirt, and dust from surfaces. Fill holes and cracks. Prime all new materials and spot prime existing with acrylic latex. Top coat with owner's choice of low VOC acrylic SEMI-GLOSS latex. Painting shall include walls and any associated trim. Replace or uncover hardware, fixtures and accessories. Any moving of furniture required shall be included.



Bid Cost: _	X=		·
	Base	Quantity	Total Cost

1 668

Work Specification

GFCI Receptacle 20 AMP

KITCHEN

Install a flush mounted, ground fault circuit interrupted, duplex receptacle and cover plate. Fish wire and repair all tear out as needed.

***Price is for (2) outlets.

	Bid Cost:	Х	=	
		Base	Quantity	Total Cost
Certification				
Contractor Name:			Total Cost: _	
Signature:			Date:	